

MATERIAL SAFETY DATA SHEET

HMIS INFORMATION:

HEALTH: 1
FLAMMABILITY: 0
PHYSICAL HAZARD: 0

LANSKO COLORS
305 West Grand Avenue
Montvale, NJ 07645-1805
PHONE: 201-307-5995
FAX: 201-307-5855

EMERGENCY PHONE: CHEMTREC (800) 424-9300
INFORMATION PHONE: LANSKO (201) 307-5995

Section 1. PRODUCT IDENTIFICATION

PRODUCT NAME: **502-S ULTRAMARINE BLUE**
VERSION DATE: 4/05/2004
CAS NUMBER: 57455-37-5
C.I. Pigment # : 77007
C.I. Name : Pigment Blue 29

Section 2. COMPOSITION

Ingredient	CAS No	Percent	Hazardous
Sodium alumino sulphosilicate Pigment Blue 29	57455-37-5	100	No

Section 3. HAZARDS IDENTIFICATION

Emergency Overview - NA

Contact Rating: 2 - Moderate
Lab Protective Equip: Safety glasses

Potential Health Effects

Inhalation:

Remove to fresh air immediately. Call physician.

Ingestion:

No significant effects.

Skin Contact:

May causes skin irritation if in contact for extended periods of time.

Eye Contact:

The more common hazards are local irritation or abrasion. In severe cases, absorption can occur through eye tissues and could cause corneal injury or blindness.

Chronic Exposure:

None known

Aggravation of Pre-existing Conditions:

None known

Section 4. FIRST AID MEASURES

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of soap and water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing and thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Section 5. FIRE FIGHTING MEASURES

Fire:

Not considered to be a fire hazard.

Explosion:

Not considered to be an explosion hazard. Sealed containers may rupture when heated.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire. Do not allow water runoff to enter sewers or waterways. Carbon dioxide, water spray or foam are all suitable.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Section 6. ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Wear appropriate PPE as specified in Section 8.

Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal. US Regulations (CERCLA) require reporting spills and releases

to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

Section 7. HANDLING AND STORAGE

Isolate from incompatible substances such as acids. Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Wear special protective equipment (Sec. 8) for maintenance break-in or where exposures may exceed established exposure levels. Wash hands, face, forearms and neck when exiting restricted areas. Shower and change to clean garments at the end of the day. Avoid cross-contamination of street clothes. Wash hands before eating and do not eat, drink, or smoke in workplace. Observe all warnings and precautions listed for the product.

Section 8. EXPOSURE CONTROLS

For Nuisance dust:

- OSHA Threshold Limit Value (TLV):

15 mg/m³ TWA Total Dust

5 mg/m³ Respirable Dust

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded, a half-face high efficiency dust/mist respirator may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece high efficiency dust/mist respirator may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. For further information regarding respirators, see OSHA 20 CFR 1910.134

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. For further information, see OSHA 29 CFR 1910.1025.

Eye Protection:

Use chemical safety goggles and/or full-face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Other Control Measures:

Eating, drinking, and smoking should not be permitted in areas where solids or liquids containing lead compounds are handled, processed, or stored. See OSHA substance-specific standard for more information on personal protective equipment, engineering and work practice controls, medical surveillance, record keeping, and reporting requirements. (29 CFR 1910.1025).

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Blue powder
Odor:	Odorless
Solubility:	Insoluble
Specific Gravity:	2.40
pH:	6.0 – 7.5
% Volatiles by volume @ 21C (70F):	0
Boiling Point:	No information found.
Melting Point:	NA
Vapor Density (Air=1):	No information found.
Vapor Pressure (mm Hg):	No information found.
Evaporation Rate (BuAc=1):	No information found.

Section 10. STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage.
Hazardous Decomposition Products:	Contact with Acids liberates hydrogen sulphide, a highly flammable toxic gas. At temperatures above 400°C in the presence of air, an exothermic reaction can occur with an evolution of sulphur dioxide.
Hazardous Polymerization:	Will not occur.
Incompatibilities:	Acids
Conditions to Avoid:	Incompatibles.

Section 11. TOXICOLOGICAL INFORMATION

Toxicological Data:

This product has reported an acute LD50 value of 10,000 mg/kg or greater in rats.

Reproductive Toxicity: n/a

Cancer Lists

Ingredient	NTP Carcinogen		IARC Category
	Known	Anticipated	
None			

Section 12. ECOLOGICAL INFORMATION

Environmental Fate:

When released into the soil, this material may leach into groundwater. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet deposition.

Environmental Toxicity: No information found.

Section 13. DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. (See 40 CFR Part 262). Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14. TRANSPORTATION INFORMATION

Domestic (Land, D.O.T.)

Proper Shipping Name: not regulated

Hazard Class:

UN/NA:

Packing Group:

Information reported for product/size:

International (Water, I.M.O.)

Proper Shipping Name: not regulated

Hazard Class:

UN/NA:

Packing Group:

Information reported for product/size:

International (Air, I.C.A.O.)

Proper Shipping Name: not regulated

Hazard Class:

UN/NA:

Packing Group:

Information reported for product/size:

Section 15. REGULATORY INFORMATION

Chemical Inventory Status

Ingredient	TSCA	EC	Japan	Australia	Korea	Canada		Phil.
						DSL	NDSL	
Sodium alumino sulphosilicate Pigment Blue 29	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes

Federal, State & International Regulations

Ingredient	SARA 302		SARA 313		CERCLA	RCRA 261.33	TSCA 8(d)
	RQ	TPQ	List	Chemical Category			
Sodium alumino sulphosilicate Pigment Blue 29	No	No	No	No	No	No	No

Chemical Weapons Convention: No
 TSCA 12(b): No
 CDTA: No
 SARA 311/312:
 Acute: Yes
 Chronic: No
 Fire: No
 Pressure: No
 Reactivity: No
 (Pure / Solid)
 Australian Hazchem Code: No information found.
 Poison Schedule: S6

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

Section 16. OTHER

NFPA Ratings:

Health: 1
 Flammability: 0
 Reactivity: 0

Label Hazard Warning:**Label Precautions:**

Do not get in eyes, on skin, or on clothing.

Do not breathe dust.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes.

Remove contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to

fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If

swallowed, induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. In all cases get medical attention immediately.

DISCLAIMER OF LIABILITY

Lansco Colors provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. Lansco Colors disclaims all liability and assumes no legal responsibility for damages resulting from use of or reliance upon the information contained herein.
